

## WALL STONE

CHILTON  
GARDEN STONE  
AND  
CHILTON SHIMS



GARDEN STONE



SHIMS

**GEOLOGY:** dolomitic limestone

### BASIC USE

aids in the installation of wall stone to help level layers on the wall; also used for retaining ground on small walls; and as a stepping stone

### COLOR RANGE

purple, lavender, mauve, gray, buff, blue, and brown

### COLOR CONSISTENCY PER PALLET

inconsistent

### WEIGHT CALCULATED IN INCHES

$l \times w \times h / 1728$  (inches cubed)  $\times 170$   
= approx 170 pounds per cubic foot

### PALLET

Garden Stone: 100 pieces per box  
Shims: 4,000 pounds



## WALL STONE

### COMMON COVERAGE \*Est.(can vary)

stepping stone	wall stone
75 square feet / ton	30 ft <sup>2</sup> /ton

### CHILTON GARDEN STONE AND SHIMS

#### DIMENSIONS

US: inches	METRIC: mm
l: 4" to 10"	l: 101 to 245 mm
h: 3/4" to 3"	h: 19 to 76 mm
w: 4" to 10"	w: 101 to 245 mm

note: lengths and widths are irregular shapes  
4 inches to 10 inches in diameter

## PART NUMBERS

part no. garden stone: 1RWSBUE01001BX  
part no. shims: 1RWSBUE01501TN

## WALL STONE

### CHILTON GARDEN STONE AND SHIMS

#### TYPICAL PIECE

ends irregular;  
natural cleft top and bottom;  
natural split sides;  
stone is random shapes

## ASTM TESTING DATA

CHILTON C97 water absorption—0.08%  
CHILTON C97 density—177.4 pcf  
CHILTON C99 modulus of rupture—1,220 psi  
CHILTON C170  
compressive strength w/rift—50,560 psi  
compressive strength across rift—38,090 psi  
CHILTON C880 flexural strength—3,070 psi



www.buechelstone.com