

WALL STONE

FOND DU LAC
GARDEN STONE AND
FOND DU LAC SHIMS



GARDEN STONE



SHIMS

GEOLOGY: dolomitic limestone

BASIC USE

aids in the installation of wall stone to help level layers on the wall; also used for retaining ground on small walls; and as a stepping stone

COLOR RANGE

gray, light gray to white, buff

COLOR CONSISTENCY PER PALLET

somewhat consistent

WEIGHT CALCULATED IN INCHES

$l \times w \times h / 1728$ (inches cubed) $\times 170$
= approx 170 pounds per cubic foot

PALLET

Garden Stone: 100 pieces per box
Shims: 4,000 pounds



WALL STONE

COMMON COVERAGE *Est. (can vary)

stepping stone	wall stone
70 to 90 ft ² /ton	30 ft ² /ton

FOND DU LAC GARDEN STONE & SHIMS

DIMENSIONS

US: inches	METRIC: mm
l: 4" to 10"	l: 101 to 245 mm
h: 3/4" to 3"	h: 19 to 76 mm
w: 4" to 10"	w: 101 to 245 mm

note: lengths and widths are irregular shapes
4 inches to 10 inches in diameter

PART NUMBERS

part no. garden stone: 1RWSBUE02001BX
part no. shims: 1RWSBUE02501TN

WALL STONE

FOND DU LAC GARDEN STONE & SHIMS

TYPICAL PIECE

ends irregular;
natural cleft top and bottom;
natural split sides;
stone is random shapes

ASTM TESTING DATA

FOND DU LAC C97 water absorption—0.36%

FOND DU LAC C97 density—174.2 pcf

FOND DU LAC C99

modulus of rupture—1,470 psi

FOND DU LAC C170

compressive strength w/rift—29,040 psi

compressive strength across rift—34,240 psi

FOND DU LAC C880

flexural strength—1,740 psi



www.buechelstone.com