

CUT STONE

INDIANA SILVERBUFF (COLOR RANGES)



GEOLOGY: limestone

BASIC USE

unlimited cut stone applications including: panels, hearths and mantels, pier caps, sills, and custom items for specific needs

COLOR RANGE

light buff

COLOR CONSISTENCY PER PALLET

consistent

WEIGHT CALCULATED IN INCHES

l x w x h / 1728 (inches cubed) x 170
= approx 170 pounds per cubic foot

PALLET

LBS / PALLET: as specified per order

RECOMMENDED FINISH OPTIONS

sawn; sand; sandblast; bushhammer; rock-face; eased edge; bullnose; and brushed.



STONE PANELS

COVERAGES

coverages calculated per custom fabrication

INDIANA SILVERBUFF PANELS

CUSTOM CUT TO SPEC

sawn to specified height and length for easy installation; with installation similar to a CMU

DIMENSIONS EXAMPLE

US: inches	METRIC: mm
l: 23-5/8"	l: 600 mm
h: 11-5/8"	h: 295 mm
w: 3-5/8"	w: 92 mm

note: dimensions example per image at top
TYPICAL PIECE

ends square; all sides sawn; stone shape(s) and finishing to be specified per order (sanded finish shown below)

COMMON APPLICATIONS

INDIANA SILVERBUFF HEARTHES &

MANTELS

large selection of standard (20x20 hearth options) and custom sizes available; wide range of colors and finishes; can be custom made for specific needs

STANDARD DIMENSIONS EXAMPLE

US: inches & feet	METRIC: mm & m
l: 6' (maximum)	l: 1-3/4 m (maximum)
h: 1-1/4" (minimum)	h: 32 mm (minimum)
d: as specified	d: as specified

note: radius available if specified

TYPICAL PIECE

stone shape and finishing of face/ends to be specified per order

COMMON APPLICATIONS

INDIANA SILVERBUFF ACCESSORIES

accent pieces (e.g. quoins, keystones, light mounts) custom cut to project requirements

BALUSTERS & COLUMNS

custom cut per project with large stone lathe

DOOR & WINDOW SURROUNDS

basic and ornate options custom cut to spec; CAD shop dwgs available for job site approval

FIREPLACE SURROUNDS

standard and custom options; CAD dwgs available for job site approval; can be used stand alone and with stone or brick fireplaces

PIER CAPS

large selection of standard and custom sizes available; wide range of colors and finishes; can be custom made for specific needs

STANDARD DIMENSIONS EXAMPLE

US: inches	METRIC: mm
l: per order	l: per order
h: 1-1/4" (minimum)	h: 32 mm (minimum)
w: per order	w: per order

TYPICAL PIECE

ends square; stone shape(s) and finishing can be specified per order; custom sizes available

SILLS

large selection of standard and custom sizes available; wide range of colors and finishes; can be custom made for specific needs

STANDARD DIMENSIONS EXAMPLE

US: inches & feet	METRIC: mm & m
l: 6' (maximum)	l: 1-3/4 m (maximum)
h: 1-1/4" (minimum)	h: 32 mm (minimum)
d: as specified	d: as specified

TYPICAL PIECE

ends square; stone shape(s) and finishing to be specified per order

ASTM TESTING DATA

INDIANA C97 water absorption—4.84%

INDIANA C97 specific gravity—2.27 to 2.28

INDIANA C99 modulus of rupture

wet perpendicular—653 psi

wet parallel—727 psi

dry perpendicular—843 psi

dry parallel—784 psi

INDIANA C170 compressive strength

wet perpendicular—5,735 psi

wet parallel—4,693 psi

dry perpendicular—6,581 psi

dry parallel—5,845 psi

INDIANA C880 flexural strength

wet perpendicular—544 psi

wet parallel—556 psi

dry perpendicular—716 psi

dry parallel—706 psi



www.buechelstone.com