



# STEPS

## JUTE CLOTH SNAPPED STEPS



**GEOLOGY:** limestone

**BASIC USE**  
for steps

**COLOR RANGE**  
light grays to buffs with occasional blue veins

**COLOR CONSISTENCY PER PALLET**  
consistent

**WEIGHT CALCULATED IN INCHES**  
l x w x h / 1728 (inches cubed) x 125.1  
= approx 125.1 pounds per cubic foot

**PALLET**  
2,000 to 3,000 pounds

**STEPS PER PALLET**  
18" x 36" = 8 steps per pallet  
18" x 48" = 6 steps per pallet  
24" x 36" = 5 steps per pallet  
24" x 48" = 5 steps per pallet

### SNAPPED STEPS

#### JUTE CLOTH 18"x36" SNAPPED STEPS

##### DIMENSIONS

US: inches	METRIC: mm
l: 35" to 37"	l: 889 to 940 mm
h: 5" to 8"	h: 127 to 203 mm
w: 17" to 19"	w: 431 to 482 mm

#### JUTE CLOTH 18"x48" SNAPPED STEPS

##### DIMENSIONS

US: inches	METRIC: mm
l: 47" to 49"	l: 1194 to 1244 mm
h: 5" to 8"	h: 127 to 203 mm
w: 17" to 19"	w: 431 to 482 mm

##### TYPICAL PIECE

ends square;  
natural cleft top and bottom;  
split sides, face and back;  
stone is rectangular;  
custom sizing by request

### PART NUMBERS

part number 18"x36": 1STEKNS03001EA  
part number 18"x48": 1STEKNS03002EA  
part number 24"x36": 1STEKNS03003EA  
part number 24"x48": 1STEKNS03004EA

### SNAPPED STEPS

#### JUTE CLOTH 24"x36" SNAPPED STEPS

##### DIMENSIONS

US: inches	METRIC: mm
l: 35" to 37"	l: 889 to 940 mm
h: 5" to 8"	h: 127 to 203 mm
w: 23" to 25"	w: 584 to 635 mm

#### JUTE CLOTH 24"x48" SNAPPED STEPS

##### DIMENSIONS

US: inches	METRIC: mm
l: 47" to 49"	l: 1194 to 1244 mm
h: 5" to 8"	h: 127 to 203 mm
w: 23" to 25"	w: 584 to 635 mm

##### TYPICAL PIECE

ends square;  
natural cleft top and bottom;  
split sides, face and back;  
stone is rectangular;  
custom sizing by request

### ASTM TESTING DATA

JUTE CLOTH C97 water absorption—10.03%  
specific gravity — 1.995 to 2.008

density—125.1 lbs/ft<sup>3</sup>

#### JUTE CLOTH C170

dry perpendicular—4,040 psi  
wet perpendicular—1,830 psi  
dry parallel —3,210 psi  
wet parallel—1,480 psi

#### JUTE CLOTH C880

flexural strength -wet —440 psi  
flexural strength -dry —600 psi

